

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	3528	((scan\$4 with image) and ((search\$3 determin\$6 look\$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:18
S7	4500	((scan\$4 with image) and ((search\$3 determin\$6 look\$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:18
S8	1551	((scan\$4 with image) and ((search\$3 determin\$6 look\$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:19
S9	142	((scan\$4 with image) and ((search\$3 determin\$6 look\$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information))) and ((quer\$4 search\$3) with (database store repository) with (meta \$1data attribute characteristic feature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:21
S10	75	((scan\$4 with image) and ((search\$3 determin\$6 look\$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information))) and ((quer\$4 search\$3) with (database store repository) with (meta \$1data attribute characteristic feature))) and ((finger\$1print water \$1mark pointer) with point \$3 with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:24

S11	0	((scan\$4 with image) and ((search\$3 determin\$6 look\$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information)) and ((quer\$4 search\$3) with (database store repository) with (meta \$1data attribute characteristic feature)) and ((finger\$1print water \$1mark pointer) with point \$3 with (location address)) and (kanatsu with tomoshi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:26
S12	98	(kanatsu with tomoshi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:27
S13	37	(kanatsu with tomoshi).in. and (image).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:27
S14	12	(kanatsu with tomoshi).in. and (image).clm. and (search\$3 quer\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:28
S15	1	(kanatsu with tomoshi).in. and (image).clm. and (search\$3 quer\$4).clm. and (finger\$1print\$3 pointer).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:29
S16	7	(kanatsu with tomoshi).in. and (detect\$4 with pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:30
S17	1845	image and ((detect\$4 determin\$6 search\$3 locat\$4 look\$4) with image with barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:33

S18	17	image and ((detect\$4 determin\$6 search\$3 locat\$4 look\$4) with image with barcode) and ((determin\$6 detect\$4) with barcode with storage with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:33
S19	17	image and ((detect\$4 determin\$6 search\$3 locat\$4 look\$4) with image with barcode) and ((determin\$6 detect\$4) with barcode with storage with (location address)) and ((stor\$3 archiv\$3) with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:36
S20	1752120	(scan\$4 with document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:34
S21	25925	((scan\$4 imag\$3) with document) and ((determin\$6 search\$3 locat\$4 detect\$4 look\$3) with (pointer barcode code fingerprint watermark))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:36
S22	13015	((scan\$4 imag\$3) with document) and ((determin\$6 search\$3 locat\$4 detect\$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((pointer barcode code fingerprint watermark) with (location address url))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:37
S23	1451	((scan\$4 imag\$3) with document) and ((determin\$6 search\$3 locat\$4 detect\$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:37

S24	490	((scan\$4 imag\$3) with document) and ((determin\$6 search\$3 locat\$4 detect\$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with storage) de\$1duplicat\$4 replicat\$4 duplicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:38
S25	504	((scan\$4 imag\$3) with document) and ((determin\$6 search\$3 locat\$4 detect\$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:39
S26	247	((scan\$4 imag\$3) with document) and ((determin\$6 search\$3 locat\$4 detect\$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:41
S27	139	((scan\$4 imag\$3) with document) and ((determin\$6 search\$3 locat\$4 detect\$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:42

		<p>           duplicat\$4) and            @ad&lt;"20030425" and            (feature with (data            information))         </p>				
S28	16	<p>           ((scan\$4 imag\$3) with            document) and ((determin            \$6 search\$3 locat\$4 detect            \$4 look\$3) with (pointer            barcode code fingerprint            watermark)) and            ((document image) with            (pointer barcode code            fingerprint watermark)            with (location address url)            with point\$3) and ((single            with instance with stor\$3)            de\$1duplicat\$4 replicat\$4            duplicat\$4) and            @ad&lt;"20030425" and            (feature with (data            information)) and (user            with (input\$4 submit\$4)            with (search term query            keywords attribute            annotation meta\$1data))         </p>	<p>           US-PGPUB;            USPAT; USOCR;            FPRS; EPO;            JPO;            DERWENT;            IBM_TDB         </p>	OR	ON	2010/04/08 11:43
S29	4	<p>           ((scan\$4) with document)            and ((determin\$6 search            \$3 locat\$4 detect\$4 look            \$3) with (pointer barcode            code fingerprint            watermark)) and            ((document image) with            (pointer barcode code            fingerprint watermark)            with (location address url)            with point\$3) and ((single            with instance with stor\$3)            de\$1duplicat\$4 replicat\$4            duplicat\$4) and            @ad&lt;"20030425" and            (feature with (data            information)) and (user            with (input\$4 submit\$4)            with (search term query            keywords attribute            annotation meta\$1data))         </p>	<p>           US-PGPUB;            USPAT; USOCR;            FPRS; EPO;            JPO;            DERWENT;            IBM_TDB         </p>	OR	ON	2010/04/08 11:45

S30	32	((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and @ad< "20030425" and (feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:47
S31	4	((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) and ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and @ad< "20030425" and (feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:49
S32	1	((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) and ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and @ad< "20030425" and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:50

		((feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data) with (image document))				
S33	782	((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) and ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:51
S34	626	((((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) same ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3)) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:51
S35	12	((("5911139") or ("20020106135") or ("6961463") or ("20020176116") or ("7127106") or ("20050055344"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/08 11:55
S36	2	("20040213458").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/08 13:53

4/ 10/ 2010 6:33:54 PM

C:\Documents and Settings\klove\My Documents\EAST\Workspaces\10828470\10828470\_8.wsp